

Supported PICs

PICPgm supports PIC10F, PIC12F, PIC16F, PIC18F, PIC24F, PIC24H, dsPIC30F and dsPIC33F devices.

In the table below you find a list of all PIC microcontrollers which are supported by the latest version of PICPgm.

Currently 536 PICs are supported by PICPgm!

PIC	Device ID	Programming Specification	Autodetect	Low-Voltage programmable	Vpp min	Vpp max
dsPIC30F2010	0x0040	DS70102H	yes	no	9.0V	13.25V
dsPIC30F2011	0x0240	DS70102H	yes	no	9.0V	13.25V
dsPIC30F2012	0x0241	DS70102H	yes	no	9.0V	13.25V
dsPIC30F3010	0x01C0	DS70102H	yes	no	9.0V	13.25V
dsPIC30F3011	0x01C1	DS70102H	yes	no	9.0V	13.25V
dsPIC30F3012	0x00C1	DS70102H	yes	no	9.0V	13.25V
dsPIC30F3013	0x00C3	DS70102H	yes	no	9.0V	13.25V
dsPIC30F3014	0x0160	DS70102H	yes	no	9.0V	13.25V
dsPIC30F4011	0x0101	DS70102H	yes	no	9.0V	13.25V
dsPIC30F4012	0x0100	DS70102H	yes	no	9.0V	13.25V
dsPIC30F4013	0x0141	DS70102H	yes	no	9.0V	13.25V
dsPIC30F5011	0x0080	DS70102H	yes	no	9.0V	13.25V
dsPIC30F5013	0x0081	DS70102H	yes	no	9.0V	13.25V
dsPIC30F5015	0x0200	DS70102H	yes	no	9.0V	13.25V
dsPIC30F5016	0x0201	DS70102H	yes	no	9.0V	13.25V
dsPIC30F6010	0x0188	DS70102H	yes	no	9.0V	13.25V
dsPIC30F6010A	0x0281	DS70102H	yes	no	9.0V	13.25V
dsPIC30F6011	0x0192	DS70102H	yes	no	9.0V	13.25V
dsPIC30F6011A	0x02C0	DS70102H	yes	no	9.0V	13.25V
dsPIC30F6012	0x0193	DS70102H	yes	no	9.0V	13.25V
dsPIC30F6012A	0x02C2	DS70102H	yes	no	9.0V	13.25V
dsPIC30F6013	0x0197	DS70102H	yes	no	9.0V	13.25V
dsPIC30F6013A	0x02C1	DS70102H	yes	no	9.0V	13.25V
dsPIC30F6014	0x0198	DS70102H	yes	no	9.0V	13.25V
dsPIC30F6014A	0x02C3	DS70102H	yes	no	9.0V	13.25V
dsPIC30F6015	0x0280	DS70102H	yes	no	9.0V	13.25V
dsPIC33FJ06GS101	0x0C00	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ06GS102	0x0C01	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ06GS202	0x0C02	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ128GP202	0x0625	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ128GP204	0x0627	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ128GP206	0x00D9	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ128GP206A	0x00D9	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ128GP306	0x00E5	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ128GP306A	0x00E5	DS70152H	yes	yes	3.0V	3.6V

dsPIC33FJ128GP310	0x00E7	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ128GP310A	0x00E7	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ128GP706	0x00ED	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ128GP706A	0x00ED	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ128GP708	0x00EE	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ128GP708A	0x00EE	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ128GP710	0x00EF	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ128GP710A	0x00EF	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ128GP802	0x062D	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ128GP804	0x062F	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ128MC202	0x0621	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ128MC204	0x0623	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ128MC506	0x00A1	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ128MC506A	0x00A1	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ128MC510	0x00A3	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ128MC510A	0x00A3	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ128MC706	0x00A9	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ128MC706A	0x00A9	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ128MC708	0x00AE	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ128MC708A	0x00AE	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ128MC710	0x00AF	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ128MC710A	0x00AF	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ128MC802	0x0629	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ128MC804	0x062B	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ12GP201	0x0802	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ12GP202	0x0803	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ12MC201	0x0800	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ12MC202	0x0801	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ16GP304	0x0F07	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ16GS402	0x0C04	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ16GS404	0x0C06	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ16GS502	0x0C03	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ16GS504	0x0C05	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ16MC304	0x0F03	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ256GP506	0x00F5	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ256GP506A	0x07F5	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ256GP510	0x00F7	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ256GP510A	0x07F7	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ256GP710	0x00FF	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ256GP710A	0x07FF	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ256MC510	0x00B7	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ256MC510A	0x07B7	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ256MC710	0x00BF	DS70152H	yes	yes	3.0V	3.6V

dsPIC33FJ256MC710A	0x07BF	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ32GP202	0x0F0D	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ32GP204	0x0F0F	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ32GP302	0x0605	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ32GP304	0x0607	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ32GS406	0x4000	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ32GS606	0x4002	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ32GS608	0x4004	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ32GS610	0x4006	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ32MC202	0x0F09	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ32MC204	0x0F0B	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ32MC302	0x0601	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ32MC304	0x0603	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ64GP202	0x0615	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ64GP204	0x0617	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ64GP206	0x00C1	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ64GP206A	0x00C1	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ64GP306	0x00CD	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ64GP306A	0x00CD	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ64GP310	0x00CF	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ64GP310A	0x00CF	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ64GP706	0x00D5	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ64GP706A	0x00D5	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ64GP708	0x00D6	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ64GP708A	0x00D6	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ64GP710	0x00D7	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ64GP710A	0x00D7	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ64GP802	0x061D	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ64GP804	0x061F	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ64GS406	0x4001	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ64GS606	0x4003	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ64GS608	0x4005	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ64GS610	0x4007	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ64MC202	0x0611	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ64MC204	0x0613	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ64MC506	0x0089	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ64MC506A	0x0089	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ64MC508	0x008A	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ64MC508A	0x008A	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ64MC510	0x008B	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ64MC510A	0x008B	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ64MC706	0x0091	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ64MC706A	0x0091	DS70152H	yes	yes	3.0V	3.6V

dsPIC33FJ64MC710	0x0097	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ64MC710A	0x0097	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ64MC802	0x0619	DS70152H	yes	yes	3.0V	3.6V
dsPIC33FJ64MC804	0x061B	DS70152H	yes	yes	3.0V	3.6V
PIC10F200	-	DS41228E	no	no	12.5V	13.5V
PIC10F202	-	DS41228E	no	no	12.5V	13.5V
PIC10F204	-	DS41228E	no	no	12.5V	13.5V
PIC10F206	-	DS41228E	no	no	12.5V	13.5V
PIC10F220	-	DS41266C	no	no	12.5V	13.5V
PIC10F222	-	DS41266C	no	no	12.5V	13.5V
PIC12F1822	0x2700	DS41390C	yes	yes	8.0V	9.0V
PIC12F508	-	DS41227E	no	no	12.5V	13.5V
PIC12F509	-	DS41227E	no	no	12.5V	13.5V
PIC12F510	-	DS41257B	no	no	12.5V	13.5V
PIC12F519	-	DS41316B	no	no	12.5V	13.5V
PIC12F609	0x2240	DS41396A	yes	no	10.0V	13.0V
PIC12F615	0x2180	DS41396A	yes	no	10.0V	13.0V
PIC12F617	0x1360	DS41396A	yes	no	10.0V	13.0V
PIC12F629	0x0F80	DS41191D	yes	no	8.0V	13.5V
PIC12F635	0x0FA0	DS41204G	yes	no	10.0V	13.5V
PIC12F675	0x0FC0	DS41191D	yes	no	8.0V	13.5V
PIC12F683	0x0460	DS41204G	yes	no	10.0V	13.5V
PIC12HV609	0x2280	DS41396A	yes	no	10.0V	13.0V
PIC12HV615	0x21A0	DS41396A	yes	no	10.0V	13.0V
PIC12LF1822	0x2800	DS41390C	yes	yes	8.0V	9.0V
PIC16F1823	0x2820	DS41390C	yes	yes	8.0V	9.0V
PIC16F1824	0x2740	DS41390C	yes	yes	8.0V	9.0V
PIC16F1825	0x2860	DS41390C	yes	yes	8.0V	9.0V
PIC16F1826	0x2780	DS41390C	yes	yes	8.0V	9.0V
PIC16F1827	0x27A0	DS41390C	yes	yes	8.0V	9.0V
PIC16F1828	0x27C0	DS41390C	yes	yes	8.0V	9.0V
PIC16F1829	0x27E0	DS41390C	yes	yes	8.0V	9.0V
PIC16F1933	0x2300	DS41397B	yes	yes	8.0V	9.0V
PIC16F1934	0x2340	DS41397B	yes	yes	8.0V	9.0V
PIC16F1936	0x2360	DS41397B	yes	yes	8.0V	9.0V
PIC16F1937	0x2380	DS41397B	yes	yes	8.0V	9.0V
PIC16F1938	0x23A0	DS41397B	yes	yes	8.0V	9.0V
PIC16F1939	0x23C0	DS41397B	yes	yes	8.0V	9.0V
PIC16F1946	0x2500	DS41397B	yes	yes	8.0V	9.0V
PIC16F1947	0x2520	DS41397B	yes	yes	8.0V	9.0V
PIC16F505	-	DS41226E	no	no	12.5V	13.5V
PIC16F506	-	DS41258C	no	no	12.5V	13.5V
PIC16F526	-	DS41317B	no	no	12.5V	13.5V

PIC16F54	-	DS41207D	no	no	12.5V	13.5V
PIC16F57	-	DS41208C	no	no	12.5V	13.5V
PIC16F59	-	DS41243B	no	no	12.5V	13.5V
PIC16F610	0x2260	DS41396A	yes	no	10.0V	13.0V
PIC16F616	0x1240	DS41396A	yes	no	10.0V	13.0V
PIC16F627	0x07A0	DS30034D	yes	yes	8.0V	13.5V
PIC16F627A	0x1040	DS41196G	yes	yes	10.0V	13.5V
PIC16F628	0x07C0	DS30034D	yes	yes	8.0V	13.5V
PIC16F628A	0x1060	DS41196G	yes	yes	10.0V	13.5V
PIC16F630	0x10C0	DS41191D	yes	no	8.0V	13.5V
PIC16F631	0x1420	DS41204G	yes	no	10.0V	13.5V
PIC16F636	0x10A0	DS41204G	yes	no	10.0V	13.5V
PIC16F639	0x10A0	DS41204G	yes	no	10.0V	13.5V
PIC16F648A	0x1100	DS41196G	yes	yes	10.0V	13.5V
PIC16F676	0x10E0	DS41191D	yes	no	8.0V	13.5V
PIC16F677	0x1440	DS41204G	yes	no	10.0V	13.5V
PIC16F684	0x1080	DS41204G	yes	no	10.0V	13.5V
PIC16F685	0x04A0	DS41204G	yes	no	10.0V	13.5V
PIC16F687	0x1320	DS41204G	yes	no	10.0V	13.5V
PIC16F688	0x1180	DS41204G	yes	no	10.0V	13.5V
PIC16F689	0x1340	DS41204G	yes	no	10.0V	13.5V
PIC16F690	0x1400	DS41204G	yes	no	10.0V	13.5V
PIC16F716	0x1140	DS40245B	yes	no	11.0V	13.5V
PIC16F72	0x00A0	DS39588A	yes	no	12.75V	13.25V
PIC16F73	0x0600	DS30324B	yes	no	12.75V	13.25V
PIC16F737	0x0BA0	DS30492B	yes	no	12.75V	13.25V
PIC16F74	0x0620	DS30324B	yes	no	12.75V	13.25V
PIC16F747	0x0BE0	DS30492B	yes	no	12.75V	13.25V
PIC16F76	0x0640	DS30324B	yes	no	12.75V	13.25V
PIC16F767	0x0EA0	DS30492B	yes	no	12.75V	13.25V
PIC16F77	0x0660	DS30324B	yes	no	12.75V	13.25V
PIC16F777	0x0DE0	DS30492B	yes	no	12.75V	13.25V
PIC16F818	0x04C0	DS39603C	yes	yes	8.0V	13.5V
PIC16F819	0x04E0	DS39603C	yes	yes	8.0V	13.5V
PIC16F83	-	DS30262E	no	no	12.0V	14.0V
PIC16F84	-	DS30262E	no	no	12.0V	14.0V
PIC16F84A	0x0560	DS30262E	yes	no	12.0V	14.0V
PIC16F87	0x0720	DS39607B	yes	yes	8.0V	13.5V
PIC16F870	0x0D00	DS39025F	yes	yes	8.0V	13.5V
PIC16F871	0x0D20	DS39025F	yes	yes	8.0V	13.5V
PIC16F872	0x08E0	DS39025F	yes	yes	8.0V	13.5V
PIC16F873	0x0960	DS39025F	yes	yes	8.0V	13.5V
PIC16F873A	0x0E40	DS39589C	yes	yes	8.0V	13.5V

PIC16F874	0x0920	DS39025F	yes	yes	8.0V	13.5V
PIC16F874A	0x0E60	DS39589C	yes	yes	8.0V	13.5V
PIC16F876	0x09E0	DS39025F	yes	yes	8.0V	13.5V
PIC16F876A	0x0E00	DS39589C	yes	yes	8.0V	13.5V
PIC16F877	0x09A0	DS39025F	yes	yes	8.0V	13.5V
PIC16F877A	0x0E20	DS39589C	yes	yes	8.0V	13.5V
PIC16F88	0x0760	DS39607B	yes	yes	8.0V	13.5V
PIC16F882	0x2000	DS41287C	yes	yes	10.0V	12.0V
PIC16F883	0x2020	DS41287C	yes	yes	10.0V	12.0V
PIC16F884	0x2040	DS41287C	yes	yes	10.0V	12.0V
PIC16F886	0x2060	DS41287C	yes	yes	10.0V	12.0V
PIC16F887	0x2080	DS41287C	yes	yes	10.0V	12.0V
PIC16F913	0x13E0	DS41244F	yes	no	10.0V	12.0V
PIC16F914	0x13C0	DS41244F	yes	no	10.0V	12.0V
PIC16F916	0x13A0	DS41244F	yes	no	10.0V	12.0V
PIC16F917	0x1380	DS41244F	yes	no	10.0V	12.0V
PIC16F946	0x1460	DS41244F	yes	no	10.0V	12.0V
PIC16HV610	0x22A0	DS41396A	yes	no	10.0V	13.0V
PIC16HV616	0x1260	DS41396A	yes	no	10.0V	13.0V
PIC16LF1823	0x2820	DS41390C	yes	yes	8.0V	9.0V
PIC16LF1824	0x2840	DS41390C	yes	yes	8.0V	9.0V
PIC16LF1825	0x2860	DS41390C	yes	yes	8.0V	9.0V
PIC16LF1826	0x2780	DS41390C	yes	yes	8.0V	9.0V
PIC16LF1827	0x27A0	DS41390C	yes	yes	8.0V	9.0V
PIC16LF1828	0x28C0	DS41390C	yes	yes	8.0V	9.0V
PIC16LF1829	0x28E0	DS41390C	yes	yes	8.0V	9.0V
PIC16LF1902	0x2C20	DS41397B	yes	yes	8.0V	9.0V
PIC16LF1903	0x2C00	DS41397B	yes	yes	8.0V	9.0V
PIC16LF1904	0x2C80	DS41397B	yes	yes	8.0V	9.0V
PIC16LF1906	0x2C60	DS41397B	yes	yes	8.0V	9.0V
PIC16LF1907	0x2C40	DS41397B	yes	yes	8.0V	9.0V
PIC16LF1933	0x2400	DS41397B	yes	yes	8.0V	9.0V
PIC16LF1934	0x2440	DS41397B	yes	yes	8.0V	9.0V
PIC16LF1936	0x2460	DS41397B	yes	yes	8.0V	9.0V
PIC16LF1937	0x2480	DS41397B	yes	yes	8.0V	9.0V
PIC16LF1938	0x24A0	DS41397B	yes	yes	8.0V	9.0V
PIC16LF1939	0x24C0	DS41397B	yes	yes	8.0V	9.0V
PIC16LF1946	0x2580	DS41397B	yes	yes	8.0V	9.0V
PIC16LF1947	0x25A0	DS41397B	yes	yes	8.0V	9.0V
PIC18F1220	0x07E0	DS39592F	yes	yes	9.0V	13.25V
PIC18F1230	0x1E00	DS39752B	yes	no	VDD + 4.0V	12.5V
PIC18F1320	0x07C0	DS39592F	yes	yes	9.0V	13.25V
PIC18F1330	0x1E20	DS39752B	yes	no	VDD +	12.5V

						4.0V	
PIC18F1330-ICD	0x1FE0	DS39752B	yes	no		VDD + 4.0V	12.5V
PIC18F13K50	0x4740	DS41342E	yes	yes		8.0V	9.0V
PIC18F14K50	0x4760	DS41342E	yes	yes		8.0V	9.0V
PIC18F2220	0x0580	DS39592F	yes	yes		9.0V	13.25V
PIC18F2221	0x2160	DS39622L	yes	yes		7.0V	12.5V
PIC18F2320	0x0500	DS39592F	yes	yes		9.0V	13.25V
PIC18F2321	0x2120	DS39622L	yes	yes		7.0V	12.5V
PIC18F2331	0x08E0	DS30500B	yes	yes		9.0V	13.25V
PIC18F23K20	0x20E0	DS41297F	yes	yes		VDD + 4.5V	9.0V
PIC18F23K22	0x5740	DS41398B	yes	yes		VDD + 4.5V	9.0V
PIC18F2410	0x1160	DS39622L	yes	yes		7.0V	12.5V
PIC18F242	0x0480	DS39576C	yes	yes		9.0V	13.25V
PIC18F2420	0x1140	DS39622L	yes	yes		7.0V	12.5V
PIC18F2423	0x1140	DS39622L	yes	yes		7.0V	12.5V
PIC18F2431	0x08C0	DS30500B	yes	yes		9.0V	13.25V
PIC18F2450	0x2420	DS39622L	yes	yes		7.0V	12.5V
PIC18F2455	0x1260	DS39622L	yes	yes		7.0V	12.5V
PIC18F2458	0x2A60	DS39622L	yes	yes		7.0V	12.5V
PIC18F248	0x0800	DS39576C	yes	yes		9.0V	13.25V
PIC18F2480	0x1AE0	DS39622L	yes	yes		7.0V	12.5V
PIC18F24J10	0x1D00	DS39687E	yes	yes		2.7V	3.6V
PIC18F24J11	0x4D80	DS39687E	yes	yes		2.35V	3.6V
PIC18F24J50	0x4C00	DS39687E	yes	yes		2.35V	3.6V
PIC18F24K20	0x20A0	DS41297F	yes	yes		VDD + 4.5V	9.0V
PIC18F24K22	0x5640	DS41398B	yes	yes		VDD + 4.5V	9.0V
PIC18F2510	0x1120	DS39622L	yes	yes		7.0V	12.5V
PIC18F2515	0x0CE0	DS39622L	yes	yes		7.0V	12.5V
PIC18F252	0x0400	DS39576C	yes	yes		9.0V	13.25V
PIC18F2520	0x1100	DS39622L	yes	yes		7.0V	12.5V
PIC18F2523	0x1100	DS39622L	yes	yes		7.0V	12.5V
PIC18F2525	0x0CC0	DS39622L	yes	yes		7.0V	12.5V
PIC18F2550	0x1240	DS39622L	yes	yes		7.0V	12.5V
PIC18F2553	0x2A40	DS39622L	yes	yes		7.0V	12.5V
PIC18F258	0x0840	DS39576C	yes	yes		9.0V	13.25V
PIC18F2580	0x1AC0	DS39622L	yes	yes		7.0V	12.5V
PIC18F2585	0x0EE0	DS39622L	yes	yes		7.0V	12.5V
PIC18F25J10	0x1C00	DS39687E	yes	yes		2.7V	3.6V
PIC18F25J11	0x4DA0	DS39687E	yes	yes		2.35V	3.6V

PIC18F25J50	0x4C20	DS39687E	yes	yes	2.35V	3.6V
PIC18F25K20	0x2060	DS41297F	yes	yes	VDD + 4.5V	9.0V
PIC18F25K22	0x5540	DS41398B	yes	yes	VDD + 4.5V	9.0V
PIC18F25K80	0x6180	DS39972B	yes	yes	VDD + 1.5V	9V
PIC18F2610	0x0CA0	DS39622L	yes	yes	7.0V	12.5V
PIC18F2620	0x0C80	DS39622L	yes	yes	7.0V	12.5V
PIC18F2680	0x0EC0	DS39622L	yes	yes	7.0V	12.5V
PIC18F2682	0x2700	DS39622L	yes	yes	7.0V	12.5V
PIC18F2685	0x2720	DS39622L	yes	yes	7.0V	12.5V
PIC18F26J11	0x4DC0	DS39687E	yes	yes	2.35V	3.6V
PIC18F26J13	0x5920	DS39687E	yes	yes	2.35V	3.6V
PIC18F26J50	0x4C40	DS39687E	yes	yes	2.35V	3.6V
PIC18F26J53	0x5820	DS39687E	yes	yes	2.35V	3.6V
PIC18F26K20	0x2020	DS41297F	yes	yes	VDD + 4.5V	9.0V
PIC18F26K22	0x5440	DS41398B	yes	yes	VDD + 4.5V	9.0V
PIC18F26K80	0x6120	DS39972B	yes	yes	VDD + 1.5V	9V
PIC18F27J13	0x5960	DS39687E	yes	yes	2.35V	3.6V
PIC18F27J53	0x5860	DS39687E	yes	yes	2.35V	3.6V
PIC18F4220	0x05A0	DS39592F	yes	yes	9.0V	13.25V
PIC18F4221	0x2140	DS39622L	yes	yes	7.0V	12.5V
PIC18F4320	0x0520	DS39592F	yes	yes	9.0V	13.25V
PIC18F4321	0x2100	DS39622L	yes	yes	7.0V	12.5V
PIC18F4331	0x08A0	DS30500B	yes	yes	9.0V	13.25V
PIC18F43K20	0x20C0	DS41297F	yes	yes	VDD + 4.5V	9.0V
PIC18F43K22	0x5700	DS41398B	yes	yes	VDD + 4.5V	9.0V
PIC18F4410	0x10E0	DS39622L	yes	yes	7.0V	12.5V
PIC18F442	0x04a0	DS39576C	yes	yes	9.0V	13.25V
PIC18F4420	0x10C0	DS39622L	yes	yes	7.0V	12.5V
PIC18F4423	0x10C0	DS39622L	yes	yes	7.0V	12.5V
PIC18F4431	0x0880	DS30500B	yes	yes	9.0V	13.25V
PIC18F4450	0x2400	DS39622L	yes	yes	7.0V	12.5V
PIC18F4455	0x1220	DS39622L	yes	yes	7.0V	12.5V
PIC18F4458	0x2A20	DS39622L	yes	yes	7.0V	12.5V
PIC18F448	0x0820	DS39576C	yes	yes	9.0V	13.25V
PIC18F4480	0x1AA0	DS39622L	yes	yes	7.0V	12.5V
PIC18F44J10	0x1D20	DS39687E	yes	yes	2.7V	3.6V
PIC18F44J11	0x4DE0	DS39687E	yes	yes	2.35V	3.6V

PIC18F44J50	0x4C60	DS39687E	yes	yes	2.35V	3.6V
PIC18F44K20	0x2080	DS41297F	yes	yes	VDD + 4.5V	9.0V
PIC18F44K22	0x5600	DS41398B	yes	yes	VDD + 4.5V	9.0V
PIC18F4510	0x10A0	DS39622L	yes	yes	7.0V	12.5V
PIC18F4515	0x0C60	DS39622L	yes	yes	7.0V	12.5V
PIC18F452	0x0420	DS39576C	yes	yes	9.0V	13.25V
PIC18F4520	0x1080	DS39622L	yes	yes	7.0V	12.5V
PIC18F4523	0x1080	DS39622L	yes	yes	7.0V	12.5V
PIC18F4525	0x0C40	DS39622L	yes	yes	7.0V	12.5V
PIC18F4550	0x1200	DS39622L	yes	yes	7.0V	12.5V
PIC18F4553	0x2A00	DS39622L	yes	yes	7.0V	12.5V
PIC18F458	0x0860	DS39576C	yes	yes	9.0V	13.25V
PIC18F4580	0x1A80	DS39622L	yes	yes	7.0V	12.5V
PIC18F4585	0x0EA0	DS39622L	yes	yes	7.0V	12.5V
PIC18F45J10	0x1C20	DS39687E	yes	yes	2.7V	3.6V
PIC18F45J11	0x4E00	DS39687E	yes	yes	2.35V	3.6V
PIC18F45J50	0x4C80	DS39687E	yes	yes	2.35V	3.6V
PIC18F45K20	0x2040	DS41297F	yes	yes	VDD + 4.5V	9.0V
PIC18F45K22	0x5500	DS41398B	yes	yes	VDD + 4.5V	9.0V
PIC18F45K80	0x6160	DS39972B	yes	yes	VDD + 1.5V	9V
PIC18F4610	0x0C20	DS39622L	yes	yes	7.0V	12.5V
PIC18F4620	0x0C00	DS39622L	yes	yes	7.0V	12.5V
PIC18F4680	0x0E80	DS39622L	yes	yes	7.0V	12.5V
PIC18F4682	0x2740	DS39622L	yes	yes	7.0V	12.5V
PIC18F4685	0x2760	DS39622L	yes	yes	7.0V	12.5V
PIC18F46J11	0x4E20	DS39687E	yes	yes	2.35V	3.6V
PIC18F46J13	0x59A0	DS39687E	yes	yes	2.35V	3.6V
PIC18F46J50	0x4CA0	DS39687E	yes	yes	2.35V	3.6V
PIC18F46J53	0x58A0	DS39687E	yes	yes	2.35V	3.6V
PIC18F46K20	0x2000	DS41297F	yes	yes	VDD + 4.5V	9.0V
PIC18F46K22	0x5400	DS41398B	yes	yes	VDD + 4.5V	9.0V
PIC18F46K80	0x6100	DS39972B	yes	yes	VDD + 1.5V	9V
PIC18F47J13	0x59E0	DS39687E	yes	yes	2.35V	3.6V
PIC18F47J53	0x58E0	DS39687E	yes	yes	2.35V	3.6V
PIC18F63J11	0x3900	DS39644I	yes	yes	2.65V	3.6V
PIC18F63J90	0x3800	DS39644I	yes	yes	2.65V	3.6V
PIC18F64J11	0x3920	DS39644I	yes	yes	2.65V	3.6V

PIC18F64J90	0x3820	DS39644I	yes	yes	2.65V	3.6V
PIC18F6520	0x0B20	DS39583C	yes	yes	9.0V	13.25V
PIC18F6527	0x1340	DS39643C	yes	yes	8.5V	12.5V
PIC18F6585	0x0A60	DS39606E	yes	yes	9.0V	13.25V
PIC18F65J10	0x1520	DS39644I	yes	yes	2.65V	3.6V
PIC18F65J11	0x3960	DS39644I	yes	yes	2.65V	3.6V
PIC18F65J15	0x1540	DS39644I	yes	yes	2.65V	3.6V
PIC18F65J50	0x4100	DS39644I	yes	yes	2.65V	3.6V
PIC18F65J90	0x3860	DS39644I	yes	yes	2.65V	3.6V
PIC18F65K80	0x6140	DS39972B	yes	yes	VDD + 1.5V	9V
PIC18F6620	0x0660	DS39583C	yes	yes	9.0V	13.25V
PIC18F6622	0x1380	DS39643C	yes	yes	8.5V	12.5V
PIC18F6627	0x13C0	DS39643C	yes	yes	8.5V	12.5V
PIC18F6628	0x49C0	DS39643C	yes	yes	8.5V	12.5V
PIC18F6680	0x0A20	DS39606E	yes	yes	9.0V	13.25V
PIC18F66J10	0x1560	DS39644I	yes	yes	2.65V	3.6V
PIC18F66J11	0x4440	DS39644I	yes	yes	2.65V	3.6V
PIC18F66J15	0x1580	DS39644I	yes	yes	2.65V	3.6V
PIC18F66J16	0x4460	DS39644I	yes	yes	2.65V	3.6V
PIC18F66J50	0x4140	DS39644I	yes	yes	2.65V	3.6V
PIC18F66J55	0x4160	DS39644I	yes	yes	2.65V	3.6V
PIC18F66J60	0x1800	DS39688D	yes	yes	2.65V	3.6V
PIC18F66J65	0x1F00	DS39688D	yes	yes	2.65V	3.6V
PIC18F66J90	0x5000	DS39644I	yes	yes	2.65V	3.6V
PIC18F66J93	0x5040	DS39644I	yes	yes	2.65V	3.6V
PIC18F66K80	0x60E0	DS39972B	yes	yes	VDD + 1.5V	9V
PIC18F6720	0x0620	DS39583C	yes	yes	9.0V	13.25V
PIC18F6722	0x1400	DS39643C	yes	yes	8.5V	12.5V
PIC18F6723	0x4A00	DS39643C	yes	yes	8.5V	12.5V
PIC18F67J10	0x15A0	DS39644I	yes	yes	2.65V	3.6V
PIC18F67J11	0x4480	DS39644I	yes	yes	2.65V	3.6V
PIC18F67J50	0x4180	DS39644I	yes	yes	2.65V	3.6V
PIC18F67J60	0x1F20	DS39688D	yes	yes	2.65V	3.6V
PIC18F67J90	0x5020	DS39644I	yes	yes	2.65V	3.6V
PIC18F67J93	0x5060	DS39644I	yes	yes	2.65V	3.6V
PIC18F83J11	0x3980	DS39644I	yes	yes	2.65V	3.6V
PIC18F83J90	0x3880	DS39644I	yes	yes	2.65V	3.6V
PIC18F84J11	0x39A0	DS39644I	yes	yes	2.65V	3.6V
PIC18F84J90	0x38A0	DS39644I	yes	yes	2.65V	3.6V
PIC18F8520	0x0B00	DS39583C	yes	yes	9.0V	13.25V
PIC18F8527	0x1360	DS39643C	yes	yes	8.5V	12.5V
PIC18F8585	0x0A40	DS39606E	yes	yes	9.0V	13.25V

PIC18F85J10	0x15E0	DS39644I	yes	yes	2.65V	3.6V
PIC18F85J11	0x39E0	DS39644I	yes	yes	2.65V	3.6V
PIC18F85J15	0x1700	DS39644I	yes	yes	2.65V	3.6V
PIC18F85J50	0x41A0	DS39644I	yes	yes	2.65V	3.6V
PIC18F85J90	0x38E0	DS39644I	yes	yes	2.65V	3.6V
PIC18F8620	0x0640	DS39583C	yes	yes	9.0V	13.25V
PIC18F8622	0x13A0	DS39643C	yes	yes	8.5V	12.5V
PIC18F8627	0x13E0	DS39643C	yes	yes	8.5V	12.5V
PIC18F8628	0x49E0	DS39643C	yes	yes	8.5V	12.5V
PIC18F8680	0x0A00	DS39606E	yes	yes	9.0V	13.25V
PIC18F86J10	0x1720	DS39644I	yes	yes	2.65V	3.6V
PIC18F86J11	0x44E0	DS39644I	yes	yes	2.65V	3.6V
PIC18F86J15	0x1740	DS39644I	yes	yes	2.65V	3.6V
PIC18F86J16	0x4500	DS39644I	yes	yes	2.65V	3.6V
PIC18F86J50	0x41E0	DS39644I	yes	yes	2.65V	3.6V
PIC18F86J55	0x4200	DS39644I	yes	yes	2.65V	3.6V
PIC18F86J60	0x1820	DS39688D	yes	yes	2.65V	3.6V
PIC18F86J65	0x1F40	DS39688D	yes	yes	2.65V	3.6V
PIC18F86J72	0x5040	DS39644I	yes	yes	2.65V	3.6V
PIC18F86J90	0x5080	DS39644I	yes	yes	2.65V	3.6V
PIC18F86J93	0x50C0	DS39644I	yes	yes	2.65V	3.6V
PIC18F8720	0x0600	DS39583C	yes	yes	9.0V	13.25V
PIC18F8722	0x1420	DS39643C	yes	yes	8.5V	12.5V
PIC18F8723	0x4A20	DS39643C	yes	yes	8.5V	12.5V
PIC18F87J10	0x1760	DS39644I	yes	yes	2.65V	3.6V
PIC18F87J11	0x4520	DS39644I	yes	yes	2.65V	3.6V
PIC18F87J50	0x4220	DS39644I	yes	yes	2.65V	3.6V
PIC18F87J60	0x1F60	DS39688D	yes	yes	2.65V	3.6V
PIC18F87J72	0x5060	DS39644I	yes	yes	2.65V	3.6V
PIC18F87J90	0x50A0	DS39644I	yes	yes	2.65V	3.6V
PIC18F87J93	0x50E0	DS39644I	yes	yes	2.65V	3.6V
PIC18F96J60	0x1840	DS39688D	yes	yes	2.65V	3.6V
PIC18F96J65	0x1F80	DS39688D	yes	yes	2.65V	3.6V
PIC18F97J60	0x1FA0	DS39688D	yes	yes	2.65V	3.6V
PIC18LF13K50	0x4700	DS41342E	yes	yes	8.0V	9.0V
PIC18LF14K50	0x4720	DS41342E	yes	yes	8.0V	9.0V
PIC18LF23K22	0x5760	DS41398B	yes	yes	VDD + 4.5V	9.0V
PIC18LF24J10	0x1D40	DS39687E	yes	yes	2.25V	3.6V
PIC18LF24J11	0x4E40	DS39687E	yes	yes	2.25V	3.6V
PIC18LF24J50	0x4CC0	DS39687E	yes	yes	2.25V	3.6V
PIC18LF24K22	0x5660	DS41398B	yes	yes	VDD + 4.5V	9.0V
PIC18LF25J10	0x1C40	DS39687E	yes	yes	2.25V	3.6V

PIC18LF25J11	0x4E60	DS39687E	yes	yes	2.25V	3.6V
PIC18LF25J50	0x4CE0	DS39687E	yes	yes	2.25V	3.6V
PIC18LF25K22	0x5560	DS41398B	yes	yes	VDD + 4.5V	9.0V
PIC18LF25K80	0x6260	DS39972B	yes	yes	VDD + 1.5V	9V
PIC18LF26J11	0x4E80	DS39687E	yes	yes	2.25V	3.6V
PIC18LF26J13	0x5B20	DS39687E	yes	yes	2.25V	3.6V
PIC18LF26J50	0x4D00	DS39687E	yes	yes	2.25V	3.6V
PIC18LF26J53	0x5A20	DS39687E	yes	yes	2.25V	3.6V
PIC18LF26K22	0x5460	DS41398B	yes	yes	VDD + 4.5V	9.0V
PIC18LF26K80	0x6200	DS39972B	yes	yes	VDD + 1.5V	9V
PIC18LF27J13	0x5B60	DS39687E	yes	yes	2.25V	3.6V
PIC18LF27J53	0x5A60	DS39687E	yes	yes	2.25V	3.6V
PIC18LF43K22	0x5720	DS41398B	yes	yes	VDD + 4.5V	9.0V
PIC18LF44J10	0x1D60	DS39687E	yes	yes	2.25V	3.6V
PIC18LF44J11	0x4EA0	DS39687E	yes	yes	2.25V	3.6V
PIC18LF44J50	0x4D20	DS39687E	yes	yes	2.25V	3.6V
PIC18LF44K22	0x5620	DS41398B	yes	yes	VDD + 4.5V	9.0V
PIC18LF45J10	0x1C60	DS39687E	yes	yes	2.25V	3.6V
PIC18LF45J11	0x4EC0	DS39687E	yes	yes	2.25V	3.6V
PIC18LF45J50	0x4D40	DS39687E	yes	yes	2.25V	3.6V
PIC18LF45K22	0x5520	DS41398B	yes	yes	VDD + 4.5V	9.0V
PIC18LF45K80	0x6240	DS39972B	yes	yes	VDD + 1.5V	9V
PIC18LF46J11	0x4EE0	DS39687E	yes	yes	2.25V	3.6V
PIC18LF46J13	0x5BA0	DS39687E	yes	yes	2.25V	3.6V
PIC18LF46J50	0x4D60	DS39687E	yes	yes	2.25V	3.6V
PIC18LF46J53	0x5AA0	DS39687E	yes	yes	2.25V	3.6V
PIC18LF46K22	0x5420	DS41398B	yes	yes	VDD + 4.5V	9.0V
PIC18LF46K80	0x61E0	DS39972B	yes	yes	VDD + 1.5V	9V
PIC18LF47J13	0x5BE0	DS39687E	yes	yes	2.25V	3.6V
PIC18LF47J53	0x5AE0	DS39687E	yes	yes	2.25V	3.6V
PIC18LF65K80	0x6220	DS39972B	yes	yes	VDD + 1.5V	9V
PIC18LF66K80	0x61C0	DS39972B	yes	yes	VDD + 1.5V	9V
PIC24FJ128GA006	0x0407	DS39768D	yes	yes	VDDCORE + 0.1	3.6V

PIC24FJ128GA008	0x040A	DS39768D	yes	yes	VDDCORE + 0.1	3.6V
PIC24FJ128GA010	0x040D	DS39768D	yes	yes	VDDCORE + 0.1	3.6V
PIC24FJ16GA002	0x0444	DS39768D	yes	yes	VDDCORE + 0.1	3.6V
PIC24FJ16GA004	0x044C	DS39768D	yes	yes	VDDCORE + 0.1	3.6V
PIC24FJ32GA002	0x0445	DS39768D	yes	yes	VDDCORE + 0.1	3.6V
PIC24FJ32GA004	0x044D	DS39768D	yes	yes	VDDCORE + 0.1	3.6V
PIC24FJ48GA002	0x0446	DS39768D	yes	yes	VDDCORE + 0.1	3.6V
PIC24FJ48GA004	0x044E	DS39768D	yes	yes	VDDCORE + 0.1	3.6V
PIC24FJ64GA002	0x0447	DS39768D	yes	yes	VDDCORE + 0.1	3.6V
PIC24FJ64GA004	0x044F	DS39768D	yes	yes	VDDCORE + 0.1	3.6V
PIC24FJ64GA006	0x0405	DS39768D	yes	yes	VDDCORE + 0.1	3.6V
PIC24FJ64GA008	0x0408	DS39768D	yes	yes	VDDCORE + 0.1	3.6V
PIC24FJ64GA010	0x040B	DS39768D	yes	yes	VDDCORE + 0.1	3.6V
PIC24FJ96GA006	0x0406	DS39768D	yes	yes	VDDCORE + 0.1	3.6V
PIC24FJ96GA008	0x0409	DS39768D	yes	yes	VDDCORE + 0.1	3.6V
PIC24FJ96GA010	0x040C	DS39768D	yes	yes	VDDCORE + 0.1	3.6V
PIC24HJ128GP202	0x0665	DS70152H	yes	yes	3.0V	3.6V
PIC24HJ128GP204	0x0667	DS70152H	yes	yes	3.0V	3.6V
PIC24HJ128GP206	0x005D	DS70152H	yes	yes	3.0V	3.6V
PIC24HJ128GP206A	0x005D	DS70152H	yes	yes	3.0V	3.6V
PIC24HJ128GP210	0x005F	DS70152H	yes	yes	3.0V	3.6V
PIC24HJ128GP210A	0x005F	DS70152H	yes	yes	3.0V	3.6V
PIC24HJ128GP306	0x0065	DS70152H	yes	yes	3.0V	3.6V
PIC24HJ128GP306A	0x0065	DS70152H	yes	yes	3.0V	3.6V
PIC24HJ128GP310	0x0067	DS70152H	yes	yes	3.0V	3.6V
PIC24HJ128GP310A	0x0067	DS70152H	yes	yes	3.0V	3.6V
PIC24HJ128GP502	0x067D	DS70152H	yes	yes	3.0V	3.6V
PIC24HJ128GP504	0x067F	DS70152H	yes	yes	3.0V	3.6V
PIC24HJ128GP506	0x0061	DS70152H	yes	yes	3.0V	3.6V
PIC24HJ128GP506A	0x0061	DS70152H	yes	yes	3.0V	3.6V

PIC24HJ128GP510	0x0063	DS70152H	yes	yes	3.0V	3.6V
PIC24HJ128GP510A	0x0063	DS70152H	yes	yes	3.0V	3.6V
PIC24HJ12GP201	0x080A	DS70152H	yes	yes	3.0V	3.6V
PIC24HJ12GP202	0x080B	DS70152H	yes	yes	3.0V	3.6V
PIC24HJ16GP304	0x0F17	DS70152H	yes	yes	3.0V	3.6V
PIC24HJ256GP206	0x0071	DS70152H	yes	yes	3.0V	3.6V
PIC24HJ256GP206A	0x0771	DS70152H	yes	yes	3.0V	3.6V
PIC24HJ256GP210	0x0073	DS70152H	yes	yes	3.0V	3.6V
PIC24HJ256GP210A	0x0773	DS70152H	yes	yes	3.0V	3.6V
PIC24HJ256GP610	0x007B	DS70152H	yes	yes	3.0V	3.6V
PIC24HJ256GP610A	0x077B	DS70152H	yes	yes	3.0V	3.6V
PIC24HJ32GP202	0x0F1D	DS70152H	yes	yes	3.0V	3.6V
PIC24HJ32GP204	0x0F1F	DS70152H	yes	yes	3.0V	3.6V
PIC24HJ32GP302	0x0645	DS70152H	yes	yes	3.0V	3.6V
PIC24HJ32GP304	0x0647	DS70152H	yes	yes	3.0V	3.6V
PIC24HJ64GP202	0x0655	DS70152H	yes	yes	3.0V	3.6V
PIC24HJ64GP204	0x0657	DS70152H	yes	yes	3.0V	3.6V
PIC24HJ64GP206	0x0041	DS70152H	yes	yes	3.0V	3.6V
PIC24HJ64GP206A	0x0041	DS70152H	yes	yes	3.0V	3.6V
PIC24HJ64GP210	0x0047	DS70152H	yes	yes	3.0V	3.6V
PIC24HJ64GP210A	0x0047	DS70152H	yes	yes	3.0V	3.6V
PIC24HJ64GP502	0x0675	DS70152H	yes	yes	3.0V	3.6V
PIC24HJ64GP504	0x0677	DS70152H	yes	yes	3.0V	3.6V
PIC24HJ64GP506	0x0049	DS70152H	yes	yes	3.0V	3.6V
PIC24HJ64GP506A	0x0049	DS70152H	yes	yes	3.0V	3.6V
PIC24HJ64GP510	0x004B	DS70152H	yes	yes	3.0V	3.6V
PIC24HJ64GP510A	0x004B	DS70152H	yes	yes	3.0V	3.6V

Number of supported devices: 536.